













- 2020; 35(2): 185-92.
25. Cebeci F, Celik SS. Effects of discharge teaching and counselling on anxiety and depression level of CABG patients. *Turkish J Thorac Cardiovasc Surg* 2011; 19(2): 170-6.
26. Sever S, Doherty P, Golder S, Harrison AS. Is improvement in depression in patients attending cardiac rehabilitation with new-onset depressive symptoms determined by patient characteristics? *Open Heart* 2020; 7(2): e001264.
27. Lie I, Arnesen H, Sandvik L, Hamilton G, Bunch EH. Effects of a home-based intervention program on anxiety and depression 6 months after coronary artery bypass grafting: A randomized controlled trial. *J Psychosom Res* 2007; 62(4): 411-8.
28. Gostoli S, Roncuzzi R, Urbinati S, Rafanelli C. Clinical and subclinical distress, quality of life, and psychological well-being after cardiac rehabilitation. *Appl Psychol Health Well Being* 2017; 9(3): 349-69.
29. Yohannes AM, Doherty P, Bundy C, Yalfani A. The long-term benefits of cardiac rehabilitation on depression, anxiety, physical activity and quality of life. *J Clin Nurs* 2010; 19(19-20): 2806-13.
30. Rutledge T, Redwine LS, Linke SE, Mills PJ. A meta-analysis of mental health treatments and cardiac rehabilitation for improving clinical outcomes and depression among patients with coronary heart disease. *Psychosom Med* 2013; 75(4): 335-49.
31. Pinto BM, Dunsiger SI, Farrell N, Marcus BH, Todaro JF. Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. *J Cardiopulm Rehabil Prev* 2013; 33(2): 91-8.

IN PRESS